


## 1968 Mercury Cougar rear script and reflector position

### Passenger side rear

A= Measure downward from upper body line (but not the top most line) in line with numbered hole.

B=Measure horizontally and level rightward from the end of quarter line (where quarter extension connects).

C=Measure horizontally and level rightward from the end of quarter line (where bumper gasket attaches).




1A= 8 1/8" 1B=1 13/16"  
2A=6 11/16" 2B=3 5/16"  
3A=8 1/2" 3B= 5 3/16"  
4A=8 1/8" 4B=6 15/16"

5A=10 1/2" 5C=3 3/8"  
6A=11 1/16" 6C=9"

## 1968 Mercury Cougar rear script and reflector position

Passenger side rear



## 1968 Mercury Cougar rear script and reflector position



### Driver side rear

A= Measure downward from upper body line (but not the top most line) in line with numbered hole.

B=Measure horizontally and level leftward from the end of quarter line (where quarter extension connects).

C=Measure horizontally and level leftward from the end of quarter line (where bumper gasket attaches).

1A= 9"      1B=11 11/16"  
2A=7 1/4"    2B=9 3/4"  
3A=8 3/4"    3B= 8 5/16"  
4A=8 1/16"   4B=6 7/16"

5A=11"      5C=9 1/8"  
6A=10 5/8"   6C=3 1/2"

1968 Mercury Cougar rear script and reflector position



Driver side rear